Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	((optical near2 fiber) and (transmission near2 loss\$2) and (mode near2 diameter) and (cable near2 cut\$off) and OH\$radical and bend\$3).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 08:55
S1	2	(mode with field with diameter with ("1310" or "1.31")) and (Rayleigh with coefficient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 09:35
S2	27	(mode with field with diameter) and (Rayleigh with coefficient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 09:35
S3	42	(mode with field with diameter with ("1310" or "1.31")) and ((transmission with loss\$2) or ("dB/km"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR [*]	ON	2006/05/16 09:25
S4		(((mode with field with diameter) or "MFD") with ("1310" or "1.31")) and (Rayleigh with coefficient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 09:37
S5	3	(((mode with field with diameter) or "MFD") with ("1310" or "1.31")) and ((Rayleigh with coefficient) or "dB/km/.mu.m.sup.4")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OŃ	2006/05/16 09:38
S6	90	(((mode with field with diameter) or "MFD")) and ((Rayleigh with coefficient) or "dB/km/.mu.m.sup. 4")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 09:38
S7	.1	2005-202254.NRAN.	DERWENT	OR	ON	2006/05/16 09:54

			1	 	1	
S8	55	(("5325450") or ("5417734") or ("5438640") or ("5883990") or ("6181858") or ("6157754") or ("6546180") or ("6275638") or ("6169837") or ("6650821") or ("6404950") or ("6650821") or ("6335995") or ("6229946") or ("6360046") or ("6301419") or ("6266467") or ("6343175") or ("6345140") or ("6343175") or ("6618532") or ("6377740") or ("6535677") or ("6571045") or ("6859598") or ("6574404") or ("6718105") or ("6496631") or ("6636677") or ("6766088") or	US-PGPUB; USPAT	OR	OFF	2006/07/11 16:59
		("6597846") or ("6606440") or ("6487353") or ("6805497") or ("6567597") or ("656755") or ("6415089") or ("6666591") or ("6449415") or ("6661954") or ("6711331") or ("6791744") or ("6868213") or ("6473550") or ("6859595") or ("7046884") or ("7043131") or ("6853766") or ("6684017") or ("6901197") or ("7076140") or ("7043127")).PN.				
S9	3	(("20020176675") or ("20030147610") or ("6266467")). PN.	US-PGPUB; USPAT	OR	OFF	2006/07/18 09:58
S10	1	("6449415").PN.	US-PGPUB; USPAT	OR	OFF	2006/07/18 13:43
S11	3	(rayleigh same (mode with field with diameter) same ("1310" or "1. 31"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 13:44
S12	11	rayleigh and ((mode with field with diameter) same ("1310" or "1.31"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 13:46
S13	11	(rayleigh or ("dB/km/.mu.m.sup.4") or ("dB/km/.nm.sup.4")) and ((mode with field with diameter) same ("1310" or "1.31"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 13:53

		The state of the s		,	, <u>.</u>	Ţ
S14	12	(rayleigh or ("dB/km/.mu.m.sup.4") or ("dB/km/.nm.sup.4")) and ((mode with diameter) same ("1310" or "1.31"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 13:54
S15	12	(rayleigh or ("dB/km/.mu.m.sup.4") or ("dB/km/.nm.sup.4")) and (((mode or field) with diameter) same ("1310" or "1.31"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 13:59
S16	12	(rayleigh or ("dB/km/.mu.m.sup.4") or ("dB/km/.nm.sup.4") or (". lambdasup.4")) and (((mode or field) with diameter) same ("1310" or "1.31"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 13:59
S17	12	(rayleigh or ("dB/km/.mu.m.sup.4") or ("dB/km/.nm.sup.4") or ("\$. lambdasup.4")) and (((mode or field) with diameter) same ("1310" or "1.31"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 14:00
S18	12	(rayleigh or ("dB/km/.mu.m.sup.4") or ("dB/km/.nm.sup.4") or ("A/. lamdasup.4")) and (((mode or field) with diameter) same ("1310" or "1.31"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 14:00
S19	12	(rayleigh or ("dB/km/.mu.m.sup.4") or ("dB/km/.nm.sup.4") or ("1/. lamdasup.4")) and (((mode or field) with diameter) same ("1310" or "1.31"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 14:03
S20	. 12	(rayleigh or ("dB/km/.mu.m.sup.4") or ("dB/km/.nm.sup.4") or ("1/. lamdasup.4") or ("dB/km.multidot mu.m.sup.4")) and (((mode or field) with diameter) same ("1310" or "1. 31"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 14:03
S21	12	(rayleigh or ("dB/km/.mu.m.sup.4") or ("dB/km/.nm.sup.4") or ("1/. lamdasup.4") or ("dB/km.mu.m. sup.4")) and (((mode or field) with diameter) same ("1310" or "1.31"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ,	ON	2006/07/18 14:03

•						
S22	12	(rayleigh or ("dB/km/.mu.m.sup.4") or ("dB/km/.nm.sup.4") or ("1/. lamdasup.4") or ("dB/km.mu.m sup.4")) and (((mode or field) with diameter) same ("1310" or "1.31"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 14:04
S23	12	(rayleigh or ("dB/km/.mu.m.sup.4") or ("dB/km/.nm.sup.4") or ("1/. lamdasup.4") or ("dB/kmnm.sup. 4")) and (((mode or field) with diameter) same ("1310" or "1.31"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 14:04
S24	59	(((transmission adj loss\$2) or ("dB/km")) same ("1310" or "1.31")) and (((mode or field) with diameter) same ("1310" or "1.31"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 14:25
S25	97	(((transmission adj loss\$2) or ("dB/km")) same ("1310" or "1.31")) and ((((mode or field) with diameter) or ".mu.m." or "MFD") same ("1310" or "1.31"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ;	ON	2006/07/18 14:46
S26	120	(((transmission adj loss\$2) or ("dB/km") or attenuation) same ("1310" or "1.31")) and ((((mode or field) with diameter) or ".mu.m." or "MFD") same ("1310" or "1.31"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 14:47
S27	23	S26 not S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 16:57
S28	1	2004-219102.NRAN.	DERWENT	OR	ON	2006/07/18 14:58
S29	1	2005-452439.NRAN.	DERWENT	OR	ON	2006/07/18 16:55
S30	1	("20030210878").PN.	US-PGPUB; USPAT	OR	OFF	2006/07/18 17:07
S31	1	("6266467").PN.	US-PGPUB; USPAT	OR	OFF	2006/07/18 17:07
S32		"peterman-I"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/24 11:14

			T	r	·	
S33 1	14	"petermann-I"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/24 11:17
S34 3	30	(US-20020102082-\$ or US-20030123839-\$ or US-20030210878-\$ or US-20040136668-\$ or US-20020021877-\$ or US-20020051612-\$ or US-20030174988-\$ or US-20040033039-\$ or US-20040033039-\$ or US-20040063663-\$ or US-20040126074-\$ or US-20020044753-\$).did. or (US-5774620-\$ or US-5905838-\$ or US-6131415-\$ or US-6301426-\$ or US-6577800-\$ or US-6901196-\$ or US-6577800-\$ or US-6400878-\$ or US-6885802-\$ or US-6282354-\$ or US-6704486-\$ or US-6205268-\$ or US-6064789-\$ or US-6449415-\$ or US-6266467-\$).did. or (JP-2004043215-\$ or JP-2005181664-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2006/07/24 11:17
S35 1	10	S34 and (clad\$4 with fluorine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/24 11:18
S36	1	("6449415").PN.	US-PGPUB; USPAT	OR	OFF	2007/01/22 10:23
S37	9	(("20030174988") or ("6345140") or ("6266467") or ("6301426") or ("20020044753") or ("6205268") or ("20040136668") or ("20040033039") or ("20030147610") or ("6266467")). PN.	US-PGPUB; USPAT	OR	OFF	2007/01/22 10:24
S38	2	(("4525027") or ("4089588")).PN.	US-PGPUB; USPAT	OR	OFF	2007/07/19 10:34

11/12/07 9:11:04 AM C:\Documents and Settings\rlepisto\My Documents\EAST\Workspaces\10532708.wsp

Page 5



Home | Login | Logout | Access Information | Alerts | Purchase History | Cart |

Welcome United States Patent and Trademark Office

. □ Search Session History

BROWSE

SEARCH

IEEE XPLORE GUIDE

Edit an existing query or compose a new query in the Search Query Display.

Select a search number (#)

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Mon, 12 Nov 2007, 8:57:44 AM EST

Search Query Display



Recent Search Queries

- #1 (optical and fiber and transmission and loss and mode and diameter and cable and cutoff and radical<in>metadata)
- #2 (optical and fiber and transmission and loss and mode and diameter and cable and cutoff<in>metadata)



Help Contact Us Privacy &:

© Copyright 2007 IEEE -

indexed by 聞Inspec*

Dialog DataStar				
aptions	logoff	feedback	help	South
			databases easy search	
			Advanced Sear	rch:
•			Inspec - 1898 to date (INZZ)
			limit	

Search history:

No.	Database	Search term	Info added since	Results	
СР		[Clipboard]		0	· · -
1	INZZ	optical AND fiber AND transmission AND loss AND mode AND diameter AND cable AND cutoff AND radical	unrestricted	o	-
2	INZZ	optical AND fiber AND transmission AND loss AND mode AND diameter AND cable AND cutoff	unrestricted	3	show titles

hide | delete all search steps... | delete individual search steps...

	whole document		
Information added since: or: non (YYYYMMDD)	e 🔽		search
☐ Images			
Select special search terms from the following l	· ist(s):		
Publication year 1950-			
Publication year 1898-1949			
Inspec thesaurus - browse headings 🕜			
Inspec thesaurus - enter a term			
Classification codes A: Physics, 0-1		,	
Classification codes A: Physics, 2-3			
Classification codes A: Physics, 4-5			
Classification codes A: Physics, 6	•	•	
Classification codes A: Physics, 7			